

## PERFORMANCE

### Processor

#### Processor Family

Up to one Intel® Core™ i9, i7, i5, or i3 processor

#### Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3-10100	4	8	3.6GHz	4.3GHz	6MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10100T	4	8	3.0GHz	3.8GHz	6MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10300	4	8	3.7GHz	4.4GHz	8MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10300T	4	8	3.0GHz	3.9GHz	8MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10320	4	8	3.8GHz	4.6GHz	8MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10400	6	12	2.9GHz	4.3GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10400T	6	12	2.0GHz	3.6GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10500	6	12	3.1GHz	4.5GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10500T	6	12	2.3GHz	3.8GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10600	6	12	3.3GHz	4.8GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10600T	6	12	2.4GHz	4.0GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i7-10700	8	16	2.9GHz	4.8GHz	16MB	DDR4-2933	Intel UHD Graphics 630
Core i7-10700T	8	16	2.0GHz	4.5GHz	16MB	DDR4-2933	Intel UHD Graphics 630
Core i9-10900	10	20	2.8GHz	5.2GHz	20MB	DDR4-2933	Intel UHD Graphics 630
Core i9-10900T	10	20	1.9GHz	4.6GHz	20MB	DDR4-2933	Intel UHD Graphics 630

#### Processor Sockets

1x FCLGA1200

### Operating System

- Windows® 10 Home 64
- Windows 10 Pro 64
- Ubuntu Linux LTS
- No operating system

### Graphics

#### Integrated Graphics

Intel UHD Graphics 630

#### Discrete Graphics Support

Supports one optional discrete graphics card

#### Discrete Graphics Offering

Graphics	Memory	Power	Connector	SLI / NVlink
Quadro® P620	2GB GDDR5	40W	4x miniDP	None
Quadro P1000	4GB GDDR5	50W	4x miniDP	None

### Monitor Support

Supports multiple displays via onboard video ports and discrete graphics

### Chipset

Intel Q470 chipset

### Memory

#### Memory Type

DDR4-2933 non-ECC

# ThinkStation P340 Tiny

## Memory Slots

Two DDR4 SO-DIMM slots

## Max Memory

Up to 64GB

### Notes:

- The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

## Storage

### Storage Support

Up to 2x M.2 SSD

- M.2 SSD up to 2TB each

### Storage Type

Disk Type	Interface	RPM	Offering
M.2 PCIe SSD	PCIe NVMe	-	256GB/512GB/1TB/2TB

## Removable Storage

### Optical Support

Optional one 9.0mm optical drive via optical drive kit, DVD-ROM or DVD±RW

## Multi-Media

### Audio Chip

High Definition (HD) Audio, Realtek® ALC233 codec

## Power Supply

Power	Type	Efficiency	Key Features
170W	Adapter	89%	100V - 240V
230W	Adapter	89%	100V - 240V

## DESIGN

### Mechanical

#### Form Factor

Tiny (1L)

#### Dimensions (WxDxH)

37 x 183 x 179 mm (1.5 x 7.2 x 7.0 inches)

#### Weight

1.4 kg (3 lbs, maximum configuration)

#### Bays

No bays

#### M.2 Slots

Up to 2x M.2 SSD via onboard slots

#### Expansion Slots

One PCIe 3.0 x16 or x4 slot, low-profile, via riser card

#### Expansion Slots Offering

One PCIe slot via specific riser card:

PCIe 3.0 x16 (negotiable link width x8) and low profile for discrete graphics card,  
PCIe 3.0 x4 and low profile for ethernet adapter and Thunderbolt™ adapter

## CONNECTIVITY

## Network

### Onboard Ethernet

Gigabit Ethernet, Intel Ethernet Connection I219-LM, 1x RJ45, supports Wake-on-LAN

### Optional Ethernet

Additional Ethernet options via PCIe adapter

### WLAN + Bluetooth™

- Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- Intel Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- No WLAN and Bluetooth

## Ports

### Front Ports

- 1x USB 3.2 Gen 2 (Always On and fast charge)
- 1x USB-C 3.2 Gen 1
- 1x headphone / microphone combo jack (3.5mm)

#### Notes:

- The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt 3: 40 Gbit/s;

FireWire 400: 400 Mbit/s;

FireWire 800: 800 Mbit/s;

### Rear Ports

- 2x USB 3.2 Gen 1 (one supports Smart Power On)
- 2x USB 3.2 Gen 2
- 1x Ethernet (RJ-45)
- 1x HDMI®
- 1x DisplayPort™

#### Notes:

- For video ports on discrete graphics, please see graphics section

### Optional Rear Ports

- 2x USB-A 3.2 Gen 1
- 1x Thunderbolt
- Optional Port 1 (VGA / 2nd DisplayPort / 2nd HDMI / serial / USB-C 3.2 Gen 1 with DisplayPort function, select one)
- Optional Port 2 (serial)

## SECURITY & PRIVACY

### Security

#### Security Chip

Discrete TPM 2.0, TCG certified

#### Physical Locks

Kensington® Security Slot

#### BIOS Security

- Power-on password
- Administrator password

## MANAGEABILITY

## System Management

- Intel vPro with Intel AMT 14 (vPro-enable processor and WiFi needed)
- Standard Manageability

## SERVICE

### Warranty

#### Base Warranty

3-year limited onsite service (with 9x5 NBD, for most models)

## ENVIRONMENTAL

### Environmental Specifications

#### Temperature

Operating: 10° C to 35° C (50° F to 95° F)

Storage: -40°C to 60°C (-40°F to 140°F) in original shipping carton

Storage: -10°C to 60°C (14°F to 140°F) without carton

#### Altitude

Operating: 0m to 3048m (0ft to 10000ft)

Storage: 0m to 12192m (0ft to 40000ft)

#### Humidity

Relative Humidity Operating: 10% to 90% (non-condensing)

Relative Humidity Storage/Transit: 10% to 90% (non-condensing)

Wet Bulb Temperature Operating: 25°C (77°F) max

Wet Bulb Temperature Non-operating: 40°C (104°F) max

## CERTIFICATIONS

### Green Certifications

- EPEAT™ Silver
- ENERGY STAR® 8.0
- GREENGUARD®
- RoHS compliant

### Other Certifications

#### Mil-Spec Test

MIL-STD-810G military test passed

### ISV Certifications

Please visit [www.thinkworkstations.com/isv-certifications/](http://www.thinkworkstations.com/isv-certifications/)

